



सत्यमेव जयते

GOVERNMENT OF MEGHALAYA

AREA, PRODUCTION AND YIELD  
of  
PRINCIPAL CROPS  
in  
MEGHALAYA  
(1970-71 to 1986-87)

VOLUME - 1

*Directorate of Economics & Statistics*  
*Shillong*

## Prepage

Key statistical data pertaining to area, production and yield rate of Principal Crops in the state are presented in the report. The Agricultural Statistics Volume-I series is published with an intention to serve as a handy compendium of past data on State Agricultural Statistics. The tables in this publication are based on the statistics of Crop Forecast approved by the State Crop Forecast Committee, Meghalaya, for the year 1970-71 to 1986-87

I would like to place on record my deep appreciation to the officers and staff of the Agriculture Statistics Section of the Directorate who have put in their best efforts in preparation of the report.

Sd/-  
(W.L. Lyngdoh)  
DIRECTOR

Sl. No.	Table Nos.	Contents	Page No
1.	Table - 1	Area, Production & Yield of Autumn Rice	3
2.	Table - 2	Area, Production & Yield of Winter Rice	4
3.	Table - 3	Area, Production & Yield of Spring Rice	5
4.	Table - 4	Area, Production & Yield of Total Rice	6
5.	Table - 5	Area, Production & Yield of Wheat	7
6.	Table - 6	Area, Production & Yield of Maize	8
7.	Table - 7	Area, Production & Yield of Gram Pulses	9
8.	Table - 8	Area, Production & Yield of Tur (Arhar)	10
9.	Table - 9	Area, Production & Yield of Other Pulses	11
10.	Table - 10	Area, Production & Yield of Other Cereals and Small Millets	12
11.	Table - 11	Area, Production & Yield of Total Foodgrains	13
12.	Table - 12	Area, Production & Yield of Sesamum	14
13.	Table - 13	Area, Production & Yield of Castor	15
14.	Table - 14	Area, Production & Yield of Rape & Mustard	16
15.	Table - 15	Area, Production & Yield of Jute	17
16.	Table - 16	Area, Production & Yield of Mesta	18
17.	Table - 17	Area, Production & Yield of Cotton	19
18.	Table - 18	Area, Production & Yield of Sugarcane	20
19.	Table - 19	Area, Production & Yield of Dry Chillies	21
20.	Table - 20	Area, Production & Yield of Tobacco	22
21.	Table - 21	Area, Production & Yield of Turmeric	23
22.	Table - 22	Area, Production & Yield of Arecanut	24
23.	Table - 23	Area, Production & Yield of Banana	25
24.	Table - 24	Area, Production & Yield of Potato	26
25.	Table - 25	Area, Production & Yield of Sweet Potato	27
26.	Table - 26	Area, Production & Yield of Tapioca	28
27.	Table - 27	Area, Production & Yield of Soyabeans	29
28.	Table - 28	Area, Production & Yield of Papaya	30
29.	Table - 29	Area, Production & Yield of Pineapple	31
30.	Table - 30	Area, Production & Yield of Citrus fruits	32
31.	Table - 31	Area, Production & Yield of Temperate fruits	33
32.	Table - 32	Area, Production & Yield of Misc. Fruits	34
33.	Table - 33	Area, Production & Yield of Ginger	35

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Winter Paddy

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
East Khasi Hills*	A	37978	36892	38520	26400	27313	26850	27067	26829	26830	24110	15855	16155	16305	16387	16377	16387	15730
	P	53719	40173	54157	42060	34034	34840	37623	39128	41570	40264	29085	21345	21108	24958	20690	20419	17269
	Y	1414	1088	1405	1593	1246	1297	1389	1453	1549	1670	1834	1321	1295	1523	1263	1246	1098
West Khasi Hills*	A											9176	9769	9354	8762	8829	7180	9631
	P											10625	11278	11388	9668	8520	8070	7698
	Y											1158	1154	1217	1103	965	1124	799
Jaintia Hills	A				18759	19335	19952	20113	16996	17472	17101	17100	17831	17900	18300	18303	17959	18383
	P				16690	18431	22429	20541	18458	19633	16451	17797	20556	17997	19827	18362	20692	13810
	Y				889	953	1124	1021	1086	1124	962	1041	1153	1005	1083	1003	1152	751
East Garo Hills**	A											5382	5432	5640	6973	6624	6674	6877
	P											10468	6784	7044	8779	8578	8583	8947
	Y											1945	1249	1249	1259	1295	1286	1301
West Garo Hills**	A	22768	22918	23832	23235	20792	22192	22371	25875	25802	25331	19522	21860	22902	23324	23670	23720	22720
	P	32211	32829	33505	23560	26979	28317	34339	37364	33130	34323	30357	26406	27666	28174	28404	29974	22584
	Y	1414	1432	1405	1013	1297	1276	1534	1444	1284	1355	1555	1208	1208	1208	1200	1264	994
Meghalaya	A	60746	59810	62352	68394	67440	68994	69551	69800	70104	66542	67035	71047	72101	73746	73803	71920	73341
	P	85930	73002	87662	82310	79444	85586	92503	94950	94333	91038	98332	86369	85203	91406	84554	87738	70308
	Y	1414	1220	1406	1203	1178	1240	1330	1360	1346	1368	1467	1216	1182	1239	1146	1220	959

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Autumn Paddy

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
East Khasi Hills*	A																	
	P																	
	Y																	
West Khasi Hills*	A																	
	P																	
	Y																	
Jaintia Hills	A																	
	P																	
	Y																	
East Garo Hills**	A											10415	10377	10418	10828	10527	12010	11532
	P											10837	11956	10317	12724	12568	16742	9914
	Y											1040	1152	990	1175	1194	1394	860
West Garo Hills**	A	33986	33986	33540	32150	31200	33500	33960	35160	34663	30487	20340	24010	23547	25126	25120	25155	21595
	P	22512	32001	19022	26594	24305	30016	30440	32875	32930	27573	21163	24085	24801	24242	24217	25101	15389
	Y	662	941	567	827	779	896	896	935	950	904	1040	1003	1053	965	964	998	713
Meghalaya	A	33986	33986	33540	32150	31200	33500	33960	35160	34663	30487	30755	34387	33965	35954	35647	37165	33127
	P	22512	32001	19022	26594	24305	30016	30440	32875	32930	27573	32000	36041	35118	36966	36785	41843	25303
	Y	662	941	567	827	779	896	896	935	950	904	1040	1048	1034	1028	1032	1126	764

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Spring Paddy

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A					200	200	210	200	25	30	25	28	32	37	39	41	42
	P					400	400	410	390	32	53	45	48	54	55	57	59	60
	Y					2000	2000	1925	1950	1280	1767	1800	1714	1688	1486	1462	1439	1429
*West Khasi Hills	A											5	4	8	9	9	9	9
	P											9	8	12	16	15	14	13
	Y											1800	2000	1500	1778	1667	1556	1444
Jaintia Hills	A							10	25	25	25	35	35	26	41	26	26	26
	P							15	38	50	50	63	69	39	57	35	33	38
	Y							1500	1520	2000	2000	1800	1971	1500	1390	1346	1269	1462
**East Garo Hills	A											131	131	142	132	144	48	45
	P											225	225	213	199	217	67	63
	Y											1718	1718	1500	1508	1507	1396	1400
**West Garo Hills	A	844	910	1005	1027	1300	1650	1580	1425	1495	1600	1054	1597	1596	1635	1687	1778	1950
	P	911	3002	3325	3596	2600	3300	2995	2542	2666	3030	1908	2348	2396	2460	2535	2667	2926
	Y	1079	3298	3308	3495	2000	2000	1782	1783	1783	1894	1810	1470	1501	1505	1503	1500	1501
Meghalaya	A	844	910	1005	1027	1500	1850	1800	1650	1545	1655	1250	1795	1804	1854	1905	1902	2072
	P	911	3002	3325	3596	3000	3700	3420	2970	2748	3133	2250	2698	2714	2787	2859	2840	3100
	Y	1079	3299	3308	3501	2000	2000	1900	1800	1779	1893	1800	1503	1504	1503	1501	1493	1496

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

**Area, Production and Yield of principal crops in Meghalaya**

**TABLE: 1**

**NAME OF THE CROP: Total Rice**

**A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare**

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	37978	36892	38520	26400	27513	27050	27277	27120	26855	24140	15880	16183	16337	16424	16416	16428	15772
	P	53719	40173	54157	42060	34434	35240	38033	39518	41620	40317	29130	21393	21162	25013	20747	20478	17329
	Y	1414	1088	1405	1593	1251	1304	1394	1457	1549	1670	1834	1322	1295	1523	1264	1247	1099
*West Khasi Hills	A											9181	9773	9362	8771	8838	7189	9640
	P											10634	11286	11400	9684	8535	8084	7711
	Y											1158	1155	1218	1104	966	1124	780
Jaintia Hills	A				18759	19335	19952	20123	17021	17497	17126	17135	17866	17926	18341	18329	17985	18409
	P				16690	18431	22429	20556	18496	19683	16501	17860	20625	18036	19884	18397	20725	13848
	Y				889	953	1124	1021	1086	1125	964	1042	1154	1006	1084	1004	1152	752
**East Garo Hills	A											15928	15940	16200	17933	17295	18732	18454
	P											21530	18965	17574	21702	21363	25392	18924
	Y											1352	1190	1085	1210	1235	1356	1025
**West Garo Hills	A	57598	57814	58377	56412	53292	57342	58011	62460	61960	57418	40916	47467	48045	50085	50477	50653	46265
	P	55634	67832	55852	53750	53884	61633	67774	72781	68726	64926	53428	52839	54863	54876	55156	57742	40899
	Y	965	1173	956	953	1011	1074	1168	1165	1109	1131	1306	1113	1142	1096	1093	1140	884
Meghalaya	A	95576	94706	96897	101571	100140	121344	105411	106601	106312	98684	99040	107229	107870	111554	111355	110987	108540
	P	109353	108005	110009	112503	106749	119302	126363	130795	130019	121744	132582	125108	123035	131159	124198	132421	98711
	Y	1144	1140	1135	1108	1066	1143	1199	1227	1223	1234	1339	1167	1141	1176	1115	1193	909

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

**Area, Production and Yield of principal crops in Meghalaya**

**TABLE: 1**

**NAME OF THE CROP: Wheat**

**A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare**

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A					29	29	20	20	30	30							40
	P					43	40	32	30	46	43							12
	Y					1483	1379	1600	1500	1533	1433							300
*West Khasi Hills	A											12	12	12	12	4	10	25
	P											17	17	17	16	5	10	25
	Y											1417	1417	1417	1333	1250	1000	1000
Jaintia Hills	A																	
	P																	
	Y																	
**East Garo Hills	A											89	189	180	231	32	70	70
	P											121	256	240	320	45	91	91
	Y											1360	1354	1333	1385	1406	1300	1300
**West Garo Hills	A	336	360	375	615	1471	1471	1630	2000	2100	2485	2949	3295	3095	3215	3617	4256	4634
	P	250	216	220	589	1911	1760	2038	2700	2835	3383	4010	4621	4333	4488	5101	6000	6533
	Y	744	600	586	957	1299	1196	1250	1350	1350	1361	1360	1402	1400	1396	1410	1410	1410
Meghalaya	A	336	360	375	615	1500	1500	1650	2020	2130	2515	3050	3496	3287	3458	3653	4336	4769
	P	250	216	220	589	1954	1800	2070	2730	2881	3426	4148	4894	4590	4824	5151	6101	6661
	Y	744	600	586	957	1303	1200	1255	1351	1353	1362	1360	1400	1396	1395	1410	1407	1397

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978



**Area, Production and Yield of principal crops in Meghalaya**

**TABLE: 1**

**NAME OF THE CROP: Maize**

**A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare**

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	8930	9375	9530	7012	8114	6260	6265	6500	7150	7050	3748	3973	3976	4203	4253	4320	4320
	P	4802	4929	5250	4955	6657	4326	4192	4600	5720	5020	3017	4513	4771	5464	6154	6401	5918
	Y	537	525	550	706	820	691	669	707	800	712	805	1136	1200	1300	1447	1482	1370
*West Khasi Hills	A											4152	4215	4747	4753	4773	4893	5099
	P											3698	4788	5696	6359	6693	6566	3656
	Y											891	1136	1200	1338	1402	1342	717
Jaintia Hills	A				4284	4932	4970	4311	4511	4657	4306	4500	4485	3795	3732	3732	3537	3565
	P				1684	2252	2748	2663	2800	3723	3014	3690	5095	4554	5211	4865	3375	3375
	Y				393	519	552	617	620	799	700	820	1136	1200	1396	1304	954	947
**East Garo Hills	A											1183	1200	1357	861	862	900	900
	P											828	1364	1637	997	810	1198	1198
	Y											700	1137	1206	1158	940	1331	1331
**West Garo Hills	A	5138	4625	5470	4304	4954	4954	5100	5200	5132	4800	3685	4089	3895	3786	4006	4050	5269
	P	2764	2551	2750	2761	3691	4250	4118	4300	4260	3463	2754	4645	4674	4543	5584	5645	5948
	Y	537	552	502	641	745	857	807	826	830	721	747	1136	1200	1200	1394	1394	1129
Meghalaya	A	14068	14000	15000	15600	18000	16184	15676	16211	16939	16156	17268	17962	17770	17335	17626	17700	19153
	P	7566	7480	8000	9400	12600	11324	10973	11700	13703	11497	13987	20405	21332	22574	24106	24085	20095
	Y	538	534	533	602	700	700	700	722	809	712	810	1136	1200	1302	1368	1361	1049

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Gram Pulses

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A																	
	P																	
	Y																	
*West Khasi Hills	A																19	18
	P																9	75
	Y																474	4167
Jaintia Hills	A										6				2	2		4
	P										6				1	1		2
	Y										1000				500	500		500
**East Garo Hills	A											22	22	20	4	9	265	351
	P											13	13	10	2	5	154	203
	Y											591	591	500	500	556	581	578
**West Garo Hills	A	100	100	100	115	120	126	130	130	135	113	128	128	125	150	154	163	173
	P	53	53	55	74	114	120	124	124	128	107	77	77	75	88	90	97	100
	Y	530	530	550	643	950	952	954	954	948	947	602	602	586	587	584	595	578
Meghalaya	A	100	100	100	115	120	126	130	130	135	119	150	150	145	156	165	447	546
	P	53	53	55	74	114	120	124	124	128	113	90	90	85	91	96	260	380
	Y	530	530	550	643	950	952	954	954	948	950	600	600	586	583	582	582	696

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

**Area, Production and Yield of principal crops in Meghalaya**

**TABLE 1****NAME OF THE CROP: Tur (Arhar)****A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare**

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A									25	25	15	15	15	15	15	15	15
	P									30	30	18	18	16	16	16	16	12
	Y									1200	1200	1200	1200	1067	1067	1067	1067	800
*West Khasi Hills	A																	
	P																	
	Y																	
Jaintia Hills	A																	
	P																	
	Y																	
**East Garo Hills	A											65	393	450	462	683	150	150
	P											47	295	217	343	633	134	134
	Y											723	751	482	742	927	893	893
**West Garo Hills	A	105	114	100	115	151	106	160	160	170	625	588	442	800	819	844	640	708
	P	61	72	102	121	153	106	120	120	226	438	415	326	679	642	723	569	613
	Y	580	631	1020	1052	1013	1000	750	750	1329	701	706	738	849	784	857	889	866
Meghalaya	A	105	114	100	115	151	106	160	160	195	650	668	850	1265	1296	1542	805	873
	P	61	72	102	121	153	106	120	120	256	468	480	639	912	1001	1372	719	759
	Y	580	631	1020	1052	1013	1000	750	750	1313	720	719	752	721	772	890	893	869

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Other Pulses

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	48	43	45	42	44	46	50	45	67	67	125	129	132	138	160	108	180
	P	23	10	11	23	24	26	26	30	41	41	81	84	86	90	133	141	142
	Y	479	232	244	547	545	565	520	666	612	612	648	651	652	652	831	1306	789
*West Khasi Hills	A											59	57	57	60	20		118
	P											38	39	37	39	17		86
	Y											644	684	649	650	850		729
Jaintia Hills	A				30	28	30	7	10	9	15	55	55	48	59	37	27	30
	P				16	16	19	4	8	5	23	36	36	33	41	23	23	24
	Y				533	571	633	571	800	556	1533	655	655	688	695	852	852	800
**East Garo Hills	A											25	113	225	201	196	115	125
	P											16	62	150	136	172	99	107
	Y											646	549	667	677	878	861	856
**West Garo Hills	A	1123	1003	1105	1105	1140	1181	1140	1210	1220	1228	1075	993	1001	988	1157	1168	1335
	P	529	574	603	633	700	707	688	782	788	791	698	642	659	652	981	992	1091
	Y	471	572	545	572	614	598	603	646	646	644	649	647	658	660	848	849	817
Meghalaya	A	1171	1045	1150	1177	1212	1257	1197	1265	1296	1310	1339	1347	1463	1446	1560	1418	1788
	P	552	584	614	672	740	752	718	820	834	855	869	863	965	958	1326	1255	1450
	Y	471	558	534	571	610	598	600	648	614	653	649	641	660	663	850	885	811

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

**Area, Production and Yield of principal crops in Meghalaya**

**TABLE 1****NAME OF THE CROP: Other cereals and small millets****A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare**

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	608	790	1355	699	1354	1277	925	910	920	920	600	600	603	628	632	632	634
	P	304	803	920	610	1381	1323	950	1000	1012	1012	549	550	552	575	621	621	623
	Y	500	1016	678	872	1019	1026	1027	1098	1100	1100	915	917	915	916	983	983	983
*West Khasi Hills	A											331	331	325	576	576	378	384
	P											304	304	298	518	566	451	458
	Y											918	918	917	900	983	1193	1193
Jaintia Hills	A				440	290	226	655	632	633	676	712	732	735	533	351	4	360
	P				284	472	388	905	948	950	1014	783	780	780	479	345	2	355
	Y				645	1627	1716	1381	1500	1501	1500	1100	1066	1061	899	983	500	986
**East Garo Hills	A											519	519	517	401	377	418	479
	P											534	534	541	389	371	411	470
	Y											1029	1029	1046	970	984	983	981
**West Garo Hills	A	892	910	145	850	313	327	450	700	705	914	527	608	618	732	753	1213	1250
	P	446	927	80	600	145	196	230	360	363	559	543	559	568	673	740	1192	1228
	Y	500	1018	551	705	463	519	511	514	515	612	1030	919	919	919	983	983	982
Meghalaya	A	1500	1700	1500	1989	1957	1880	2030	2242	2258	2510	2689	2790	2798	2870	2689	2645	3107
	P	750	1730	1000	1744	1998	1907	2085	2308	2325	2585	2713	2727	2739	2634	2643	2677	3134
	Y	500	1017	667	877	1021	1014	1027	1029	1030	1030	1009	977	979	918	983	1012	1009

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Total Foodgrains

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare


District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	47564	47100	49450	34153	37054	34662	34537	34604	35047	32232	20368	20900	21063	21408	21476	21503	20961
	P	58848	45915	60338	47648	42539	40953	43233	45178	48451	46463	32795	26558	26587	31158	27671	27657	24036
	Y	1237	974	1220	1395	878	1181	1251	1305	1097	1442	1610	1271	1262	1455	1288	1286	1147
*West Khasi Hills	A											13735	14390	14503	14172	14211	12489	15284
	P											14691	16434	17448	16616	15816	15120	12011
	Y											1070	1142	1203	1172	1113	1211	786
Jaintia Hills	A				23513	24585	25178	25096	22174	22796	22129	22402	23138	22504	22667	22441	21553	22368
	P				18674	21171	25684	24128	22252	24361	20558	22369	26536	23403	25616	23631	24125	17604
	Y				794	861	1016	961	1003	1069	929	999	1147	1040	1130	1053	1119	787
**East Garo Hills	A											17831	18376	18949	20093	19454	20650	20529
	P											23089	21489	20369	23889	23399	27479	21127
	Y											1295	1169	1075	1189	1203	1331	1029
**West Garo Hills	A	65292	64926	65672	62525	61441	65557	66621	71860	71422	67583	42868	57022	57579	59775	61008	62148	59634
	P	59737	72225	59662	54932	60600	68772	75092	81167	77326	73667	61925	63709	65851	65962	68375	72237	56412
	Y	914	1112	908	878	986	1049	1127	1129	1083	1090	1445	1117	1144	1104	1121	1162	946
Meghalaya	A	112856	112026	115122	120191	123080	125397	126254	128638	129265	121944	117204	133826	134598	138115	138590	138343	138776
	P	118585	118140	120000	121254	124310	135409	142453	148597	150138	140688	154869	154726	153658	163241	158892	166618	131190
	Y	1051	1054	1042	1009	1010	1080	1128	1155	1161	1154	1321	1156	1142	1182	1146	1204	945

\*\*Data includes for East and West Garo Hills district till 1979-80


\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

Total area of foodgrains in Meghalaya (1970-71 to 1986-87)




Total productin of foodgrains in Meghalaya (1970-71 to 1986-87)





Total yield of foodgrains in Meghalaya (1970-71 to 1986-87)



**Area, Production and Yield of principal crops in Meghalaya**

**TABLE 1****NAME OF THE CROP: Sesamum****Area in hectare, P = Production M.T. Y= Yield in kg/hectare**

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A				31	32	32	34	30	35	35	30	30	30	32	35	35	35
	P				11	11	11	12	10	12	12	10	10	10	12	13	13	13
	Y				354	343	343	352	333	343	343	333	333	333	375	371	371	371
*West Khasi Hills	A											9	5	5	24	24	22	29
	P											4	2	2	9	10	5	15
	Y											444	400	400	375	417	227	517
Jaintia Hills	A				30	33	32	32	28	28	61	30	25	20	54	24	28	30
	P				16	12	16	16	14	14	31	14	12	10	20	12	13	15
	Y				533	363	500	500	500	500	508	467	480	500	370	500	464	500
**East Garo Hills	A											228	311	309	327	236	325	320
	P											130	174	170	164	118	163	160
	Y											570	559	550	502	500	502	500
**West Garo Hills	A	357	412	420	420	410	450	450	450	460	507	328	362	368	494	494	805	903
	P	174	210	220	252	246	255	255	255	261	289	181	191	193	241	262	410	460
	Y	487	509	523	600	600	560	566	566	567	570	552	528	524	488	530	509	509
Meghalaya	A	417	412	420	481	475	514	516	508	523	603	625	733	732	931	813	1215	1317
	P	203	210	220	279	269	282	283	279	287	332	339	389	385	446	415	604	663
	Y	469	509	523	580	566	548	548	549	549	551	542	531	526	479	510	497	503

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

**Area, Production and Yield of principal crops in Meghalaya**

**TABLE 1****NAME OF THE CROP: Castor****Area in hectare, P = Production M.T. Y= Yield in kg/hectare**

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A																	
	P																	
	Y																	
*West Khasi Hills	A																	
	P																	
	Y																	
Jaintia Hills	A					3	5								2	2		
	P					2	3								1	1		
	Y					666	600								500	500		
**East Garo Hills	A											25	26	26	22	21	24	27
	P											13	14	14	12	11	13	15
	Y											520	538	538	545	524	542	556
**West Garo Hills	A	21	21	25	30	30	40	40	40	40	40	15	16	16	18	20	17	18
	P	7	7	9	18	15	21	20	20	20	20	7	8	9	10	10	9	9
	Y	333	333	360	600	515	533	500	500	500	500	467	500	563	556	500	529	500
Meghalaya	A	21	21	25	30	33	45	40	40	40	40	40	42	42	42	43	41	45
	P	7	7	9	18	17	24	20	20	20	20	20	22	23	23	22	22	24
	Y	333	333	360	600	515	533	500	500	500	500	500	524	548	548	512	537	533

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Rapeseed &amp; Mustard

Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	70	40		28	30	30	30	25	30	30	43	56	60	68	76	150	150
	P	36	13		10	14	15	15	14	17	17	22	27	29	33	54	117	119
	Y	514	325		357	466	500	500	500	567	567	512	482	483	485	712	780	793
*West Khasi Hills	A											12	14	17	22	23	24	60
	P											6	7	8	10	13	10	28
	Y											500	500	471	455	565	417	467
Jaintia Hills	A					25		23	20	6	9	10	53	53	53	30	20	40
	P					5		12	20	4	9	5	26	26	22	16	11	21
	Y					200		521	100	667	1000	500	491	491	415	533	550	525
**East Garo Hills	A											703	618	780	302	262	850	685
	P											431	303	321	182	200	595	366
	Y											613	490	412	603	763	700	534
**West Garo Hills	A	4872	4960	5021	5090	6050	6550	6555	7065	7124	7469	6017	4941	5177	4373	6158	5656	5660
	P	2477	2787	3050	2560	3025	3275	3938	4244	4285	4554	3674	2421	2810	2165	3646	3793	3407
	Y	508	561	607	502	500	500	600	600	601	610	611	490	543	495	592	671	602
Meghalaya	A	4942	5000	5021	5118	6105	6580	6608	7110	7160	7508	6785	5682	6087	4818	6549	6700	6595
	P	2513	2800	3050	2570	3044	3290	3965	4278	4306	4580	4138	2784	3194	2412	3929	4526	3941
	Y	508	560	607	502	499	500	600	602	601	610	610	490	525	501	600	676	598

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

**Area, Production and Yield of principal crops in Meghalaya**

**TABLE 1****NAME OF THE CROP: Jute****A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare**

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A														27			
	P														72			
	Y														480			
*West Khasi Hills	A													4	10	7	9	9
	P													24	11	42	55	43
	Y													1080	198	1080	1100	860
Jaintia Hills	A																	
	P																	
	Y																	
**East Garo Hills	A											592	402	439	366	291	279	205
	P											4705	3506	3041	2575	2047	2421	2006
	Y											1434	1570	1247	1266	1266	1562	1761
**West Garo Hills	A	10210	11760	11700	7120	5950	5000	6300	6000	6130	6195	5322	4298	5201	5253	5905	5827	2922
	P	45461	49000	50000	39556	32450	35000	44100	40000	41684	39992	37571	36444	40741	41240	45371	48558	18846
	Y	801	750	769	1000	982	1260	1260	1200	1224	1162	12711	1526	1410	1413	1383	1500	1161
Meghalaya	A	10210	11760	11700	7120	5950	5000	6300	6000	6130	6195	5914	4700	5644	5656	6203	6115	3136
	P	45461	49000	50000	39556	32450	35000	44100	40000	41684	39992	42276	39950	43806	43898	47460	51034	20895
	Y	801	750	769	1000	982	1260	1260	1200	1224	1162	1287	1530	1397	1397	1377	1502	1200

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Mesta

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A														3			
	P														9			
	Y														540			
*West Khasi Hills	A																	
	P																	
	Y																	
Jaintia Hills	A																	
	P																	
	Y																	
**East Garo Hills	A											819	695	271	335	301	305	254
	P											3192	2787	1165	1440	1370	1473	1156
	Y											702	722	774	774	819	869	819
**West Garo Hills	A				4650	7340	7000	7400	7500	7300	7200	5704	4362	4392	4440	4500	4770	3457
	P				16789	25690	25200	27340	30000	29930	25080	24683	18958	18886	19092	20475	21235	15729
	Y				3610	630	648	666	720	738	627	779	782	774	774	819	801	819
Meghalaya	A				4650	7340	7000	7400	7500	7300	7200	6523	5057	4663	4778	4801	5075	3711
	P				16789	25690	25200	27340	30000	29930	25080	27875	21745	20051	20541	21845	22708	16885
	Y				3610	630	648	666	720	738	627	769	774	774	774	819	805	819

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Cotton

Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	43	42	40														
	P	19	27	17														
	Y	75	109	425														
*West Khasi Hills	A											10	10	10	11	10	12	13
	P											20	8	12	12	7	11	13
	Y											340	136	204	185	119	156	170
Jaintia Hills	A				40	14		49	35	12	14	14	6	7	7	7	7	7
	P				17	1		32	18	10	12	7	5	4	4	4	4	4
	Y				425	12		111	87	142	146	85	142	97	92	97	97	97
**East Garo Hills	A											2433	2525	2598	3013	2807	2620	2525
	P											1439	1463	1579	1790	1676	1566	1509
	Y											101	98	103	101	102	102	102
**West Garo Hills	A	10121	9458	9560	8500	6000	7542	5800	5800	5913	6885	5082	4981	5102	5610	5816	5405	4378
	P	4322	4073	3983	3810	2687	3353	3227	3327	3469	4142	3034	3026	3112	3328	3455	3302	2653
	Y	72	73	416	448	76	75	94	97	100	102	101	103	104	101	101	104	103
Meghalaya	A	10164	9500	9600	8540	6014	7542	5849	5835	5925	6899	7539	7522	7717	8641	8640	8044	6923
	P	4341	4100	4000	3827	2688	3353	3259	3345	3479	4154	4500	4502	4707	5134	5142	4883	4179
	Y	73	73	71	76	76	75	95	97	100	102	101	102	104	101	101	103	103

Bales = 170 kg. each

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Sugarcane

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	20	20	20	20	20	22	22	20	20	20	15	20	22	32	35	35	35
	P	78	161	70	80	80	80	80	80	80	80	56	75	82	107	116	103	104
	Y	3900	8050	3500	4000	4000	3636	3636	3686	4000	4000	3733	3750	3727	3344	3314	2943	2971
*West Khasi Hills	A											12	16	16	17	19	20	25
	P											42	56	56	64	58	59	70
	Y											3500	3500	3500	3765	3053	2950	2800
Jaintia Hills	A				5	3	3	34	26	24	30	28	32	33	27	12	5	
	P				20	12	12	135	95	88	130	117	133	133	113	36	15	
	Y				4000	4000	4000	3970	3653	3667	4333	4179	4156	4030	4185	3000	3000	
**East Garo Hills	A											50	30	30	32	38	22	24
	P											192	115	114	126	122	70	76
	Y											3840	3833	3800	3938	3211	3182	3167
**West Garo Hills	A	159	162	180	175	155	180	180	199	200	180	130	130	130	35	98	84	58
	P	622	539	630	600	620	720	720	796	800	702	520	520	518	149	186	298	206
	Y	3911	3327	3500	3428	4000	4000	4000	4000	4000	4000	4000	4000	3985	4257	3939	3548	3552
Meghalaya	A	179	182	200	200	178	205	235	245	244	230	235	228	231	143	202	166	142
	P	700	700	700	700	717	812	935	971	968	912	927	899	903	559	718	545	456
	Y	3910	3846	3500	3500	4000	3961	3962	3963	3968	3965	3945	3943	3909	3909	3554	3283	3211

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978



TABLE 1

NAME OF THE CROP: Dry chillies

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	210	272	280	157	340	162	164	165	170	170	130	130	135	140	145	145	146
	P	122	141	155	87	225	46	49	60	70	70	54	54	56	60	87	87	88
	Y	580	518	553	554	661	283	298	363	412	412	415	415	415	129	600	600	603
*West Khasi Hills	A											48	38	40	81	77	83	66
	P											20	16	18	32	46	24	18
	Y											417	421	450	395	597	289	273
Jaintia Hills	A				280	210	180	180	154	156	161	172	36	36	88	105	80	110
	P				519	146	90	108	92	94	97	104	22	22	54	63	44	70
	Y				1853	695	500	600	597	603	602	605	611	611	614	600	550	636
**East Garo Hills	A											462	520	510	515	324	360	370
	P											359	390	383	358	218	241	248
	Y											777	750	751	695	673	669	670
**West Garo Hills	A	803	925	930	800	810	860	860	870	875	980	630	647	650	733	944	1104	1117
	P	465	494	496	480	630	633	633	684	688	769	489	460	464	506	648	699	708
	Y	579	534	533	600	777	736	736	786	786	785	776	711	714	690	686	633	634
Meghalaya	A	1013	1197	1210	1237	1360	1202	1204	1189	1201	1311	1442	1371	1371	1557	1595	1772	1809
	P	587	635	651	1086	1001	769	790	836	852	936	1026	942	943	1010	1062	1095	1132
	Y	579	530	538	878	736	640	656	703	709	714	711	687	688	649	666	618	626

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Tobacco

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	13	15	15	15	10	10	10	10	15	15	15	15	15	13	13	13	14
	P	10	7	7	7	5	5	5	5	8	8	8	8	6	6	6	4	4
	Y	769	466	466	466	500	500	500	500	533	533	533	533	400	462	462	308	286
*West Khasi Hills	A											14	14	20	24	24	27	27
	P											8	8	12	14	14	17	16
	Y											571	571	600	583	583	630	593
Jaintia Hills	A				8	8	10	10		14	11	10	10	8	14	22	13	
	P				2	2	5	5		9	6	6	6	5	9	16	10	
	Y				250	250	500	500		643	545	600	600	625	643	727	769	
**East Garo Hills	A											215	209	201	273	254	260	265
	P											161	156	142	192	176	181	184
	Y											749	746	706	703	693	696	694
**West Garo Hills	A	275	350	353	357	360	370	370	370	446	528	287	317	352	428	515	426	404
	P	209	264	267	266	270	271	271	271	326	386	215	233	255	301	357	292	277
	Y	760	754	756	746	750	732	732	732	731	731	749	735	724	703	693	685	686
Meghalaya	A	288	365	368	375	378	390	390	380	475	554	541	565	596	752	828	739	710
	P	219	271	274	273	277	281	281	276	343	400	398	411	420	522	569	504	481
	Y	760	742	744	728	733	720	720	726	722	722	736	727	705	694	687	682	677

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

**Area, Production and Yield of principal crops in Meghalaya**

**TABLE 1****NAME OF THE CROP: Turmeric****A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare**

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	735	735	740	53	55	55	50	50	55	46	38	38	39	43	43	43	45
	P	477	478	481	34	50	50	45	50	75	101	67	67	67	80	75	76	78
	Y	648	650	650	641	909	909	900	1000	1364	2196	1763	1763	1718	1860	1744	1767	1733
*West Khasi Hills	A											8	8	8	11	10	12	14
	P											16	16	16	18	10	13	15
	Y											2000	2000	2000	1636	1000	1083	1071
Jaintia Hills	A				842	842	850	850	915	918	928	857	517	670	711	764	627	800
	P				466	546	550	550	826	1377	1396	1378	831	989	1009	1085	915	1100
	Y				553	648	647	647	902	1500	1504	1608	1607	1476	1419	1420	1459	1375
**East Garo Hills	A											80	47	57	50	63	74	78
	P											75	44	52	72	90	104	110
	Y											938	936	912	1440	1429	1405	1410
**West Garo Hills	A	324	510	515	500	400	410	410	410	415	363	300	297	309	374	338	339	345
	P	211	331	334	500	640	630	630	410	415	375	280	420	436	510	503	490	499
	Y	651	649	648	1000	1600	1536	1536	1000	1000	1033	933	1414	1411	1364	1488	1445	1446
Meghalaya	A	1059	1245	1255	1395	1297	1315	1310	1375	1388	1337	1283	907	1083	1189	1218	1095	1282
	P	688	809	815	1000	1236	1230	1225	1286	1867	1872	1816	1378	1560	1689	1763	1598	1802
	Y	650	650	649	717	953	935	935	935	935	1345	1400	1415	1519	1440	1421	1447	1459

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

**Area, Production and Yield of principal crops in Meghalaya**

**TABLE 1****NAME OF THE CROP: Arecanut****A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare**

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	5752	5672	5675	4680	4680	4690	4700	4750	4750								
	P	3790	3727	3728	3088	5000	3474	3550	3900	3900								
	Y	658	657	656	659	1068	741	753	821	821								
*West Khasi Hills	A																	
	P																	
	Y																	
Jaintia Hills	A				1016	1016	1020	1080	1095	1095								
	P				676	700	488	480	485	485								
	Y				665	688	478	444	442	443								
**East Garo Hills	A																	
	P																	
	Y																	
**West Garo Hills	A	221	296	310	330	340	355	420	660	660								
	P	146	237	248	240	250	181	205	500	500								
	Y	660	800	800	727	735	510	488	757	758								
Meghalaya	A	5973	5968	5985	6026	6036	6065	6200	6505	6505								
	P	3936	3964	3976	4004	5950	4143	4235	4885	4885								
	Y	659	664	664	664	986	683	683	751	751								

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Banana

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	1218	1220	1706	1210	1346	1328	1300	1245	1240	1250	910	910	1085	1087	1137	1140	1144
	P	29819	29907	11414	15730	23478	22850	22800	17060	16120	16250	13300	13300	15190	15210	15463	15484	15493
	Y	24481	24514	6690	13000	17443	17206	17538	13703	13000	13000	14615	14615	14000	13993	13600	13582	13543
*West Khasi Hills	A											354	354	350	410	428	435	604
	P											4575	4575	4496	4506	5514	5629	6655
	Y											12924	12924	12816	10990	12883	12940	11018
Jaintia Hills	A				465	500	424	350	310	245	245	246	306	246	246	281	345	281
	P				6045	12480	6821	6750	1147	906	907	808	1132	808	615	1305	1597	1305
	Y				13000	24960	16087	19286	3700	3698	3702	3285	3700	3285	2500	4644	4329	4644
**East Garo Hills	A											360	355	360	650	497	887	520
	P											4680	4712	4775	6053	6367	11027	6370
	Y											13000	13273	13264	9312	12811	12432	12250
**West Garo Hills	A	912	1000	1294	1250	1154	1348	1335	1320	1400	1554	1037	1275	1277	1328	1486	1496	1508
	P	22328	24514	24586	14350	18674	23494	21941	21120	21000	23485	15555	17212	17239	17594	19006	18691	18768
	Y	24482	24514	19000	11480	16182	17429	16435	16000	15000	15113	15000	13500	13500	13248	12790	1000	12446
Meghalaya	A	2130	2220	3000	2925	3000	3100	2985	2875	2885	3049	2907	3200	3318	3721	3829	4303	4057
	P	52147	54421	36000	36125	54632	53165	51491	39327	38026	40642	38918	40931	42508	43978	47655	52428	48591
	Y	24482	24514	12000	12350	18210	17150	17250	13679	13181	13330	13388	12791	12811	11819	12446	12184	11977

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Potato

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	14310	15290	15602	15200	15200	15320	15100	16130	16472	16792	9438	9193	10080	10162	10783	10203	10203
	P	6840	61544	53020	66450	66450	64955	69441	80065	114158	127136	67103	80737	80267	80919	80042	81725	86726
	Y	4780	4025	3398	4372	4371	4240	4599	4964	6930	7571	7110	8782	7963	7963	7423	8010	8500
*West Khasi Hills	A											6762	7063	6878	6954	6744	6354	7370
	P											48037	38315	58351	55632	60603	59892	58960
	Y											7104	5425	8184	8000	8986	9426	8000
Jaintia Hills	A				1067	1067	2000	1900	770	781	800	675	577	354	383	755	916	900
	P				4801	1801	5771	8385	7075	3905	4400	4260	4616	1522	1647	4972	5523	6050
	Y				4499	4499	2885	4413	9188	500	5500	6311	8000	4299	4300	6585	6029	6722
**East Garo Hills	A											135	56	106	120	55	62	66
	P											540	206	300	441	236	281	235
	Y											4000	3679	3679	3675	4291	4532	3561
**West Garo Hills	A	590	610	745	650	650	660	580	680	740	675	265	265	334	399	623	337	337
	P	2821	2456	2980	2925	2927	3354	2934	3400	3700	3375	1000	1325	1670	1997	3571	2041	2655
	Y	4781	4026	4000	4500	4503	5082	5056	5000	5000	5000	4000	5000	5000	5005	5732	6056	7878
Meghalaya	A	14900	15900	16500	16917	16917	17980	17580	17580	17993	18267	17275	17154	17752	18015	18960	17872	18876
	P	71231	64000	66000	74176	74178	74080	80760	90540	121763	134911	121000	125199	142200	140636	149424	149462	154626
	Y	4781	4025	4000	4385	4385	4120	4594	5151	6767	7386	7004	7299	8010	7805	7881	8363	8192

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Sweet Potato

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	2733	2230	2790	1850	1860	1880	1900	1920	1940	2130	900	910	914	916	916	901	905
	P	8162	6365	8670	5550	5570	5640	5700	5800	6790	7550	3806	3820	3660	3677	3653	3684	3689
	Y	2986	2854	3107	3000	2994	3000	3000	3020	3500	3545	4229	4198	4004	4014	3988	4089	4076
*West Khasi Hills	A											1085	1085	1051	1098	1115	1105	1108
	P											3255	3255	3273	3294	3345	3323	3317
	Y											3000	3000	3114	3000	3000	3007	2994
Jaintia Hills	A				1075	1142	1200	1018	1303	1504	1504	1505	1505	1420	1542	1023	1025	1025
	P				3117	3150	3600	3054	3909	4512	4571	4575	4575	3722	4028	3069	3070	3070
	Y				2899	2758	3000	3000	3000	3000	3039	3040	3040	2621	2612	3000	2995	2995
**East Garo Hills	A											225	307	285	284	242	280	271
	P											675	921	755	881	750	961	930
	Y											3000	3000	2649	3102	3090	3432	3432
**West Garo Hills	A	723	520	734	640	670	670	670	675	675	766	478	463	830	669	478	513	525
	P	2158	1485	3849	3200	3350	3350	871	878	878	960	693	671	2090	2007	1482	1671	1710
	Y	2985	2395	5244	5000	5000	5298	1300	1301	1301	1253	1450	1449	2518	3000	3100	3257	3257
Meghalaya	A	3456	2750	3524	3565	3672	3750	3588	3898	4119	4400	4193	4270	4500	4509	3774	3824	3834
	P	10320	7850	12519	11867	12070	12590	9625	10587	12180	13081	13004	13242	13500	13887	12299	12709	12716
	Y	2986	2854	3552	3329	3287	3357	3682	2716	2957	2973	3101	3101	3000	3080	3259	3323	3317

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Tapioca

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A	1030	1030	1024	1025	1025	1070	1100	1120	1100	1125	483	435	509	510	513	518	518
	P	4698	4722	5260	5265	5265	6300	6680	6680	6600	6700	2801	2910	3054	3058	3058	3164	3109
	Y	4561	4584	5136	5136	5136	5888	6073	5964	6000	5956	5800	6690	6000	5996	5961	6108	6002
*West Khasi Hills	A											625	625	630	672	680	775	781
	P											3875	3375	3906	4019	4027	4093	4259
	Y											6200	5400	6200	5981	5922	5281	5453
Jaintia Hills	A					16			8	45	60	60	45	49	49	51	82	87
	P					80			160	450	1200	365	360	392	315	940	1230	1230
	Y					5000			20000	10000	20000	6083	8000	8000	6429	18431	15000	14138
**East Garo Hills	A											832	1450	1492	1850	1227	1436	1256
	P											3264	7250	7307	8459	6337	7422	6922
	Y											3923	5000	4897	4572	5165	5169	5511
**West Garo Hills	A	852	860	885	890	905	905	921	920	1000	1133	1100	1185	1229	1258	1365	1378	1390
	P	3886	3943	3717	3936	4072	3972	4220	4140	4500	5098	4950	5332	5530	5605	7120	7716	7784
	Y	4561	4584	4200	4422	4499	4389	4582	4500	4500	4500	4500	4500	4500	4455	5216	5600	5600
Meghalaya	A	1882	1890	1909	1915	1946	1975	2021	2048	2145	2318	3100	3740	3909	4339	3836	4189	4032
	P	8584	8665	8977	9201	9417	10272	10900	10980	11550	12998	15255	19227	20189	21456	21482	23625	23304
	Y	4561	4585	4702	4805	4839	5201	5393	5361	5385	5607	4921	5141	5165	4945	5600	5640	5780

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978



## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Soyabean

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A				30	32	40	42	40	80		65	160	210	270	319	324	324
	P				14	15	28	30	30	75		60	140	184	229	291	306	308
	Y				466	468	700	714	750	938		923	875	876	848	912	944	951
*West Khasi Hills	A											42	42	48	47	58	62	70
	P											21	21	29	23	32	30	70
	Y											500	500	604	489	552	484	1000
Jaintia Hills	A				201	210	220	230	466	666		262	312	325	278	329	337	350
	P				23	24	154	161	326	549		214	242	256	239	300	354	310
	Y				114	114	700	700	699	824		817	776	788	860	912	1050	886
**East Garo Hills	A											45	59	60	58	57	60	66
	P											33	38	46	44	45	66	73
	Y											733	644	767	759	789	1100	1106
**West Garo Hills	A				70	40	40	30	40	40		96	45	52	59	437	98	115
	P				68	36	36	27	36	36		64	34	41	47	322	80	94
	Y				971	900	900	900	900	900		667	756	788	797	737	816	817
Meghalaya	A				301	282	300	302	546	786		510	618	695	712	1200	881	925
	P				105	75	218	218	392	660		392	475	556	582	990	836	855
	Y				349	266	727	723	718	840		769	769	800	817	825	949	924

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Papaya

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A				175	215	225	150	150	140	160	110	110	128	150	153	153	153
	P				2435	1815	2733	1822	1500	1260	1445	1095	1095	1152	1350	1367	1377	1380
	Y				13914	8441	12146	12146	10000	9000	9031	9955	9955	9000	9000	8935	9000	9020
*West Khasi Hills	A											35	35	40	42	47	50	63
	P											299	299	342	350	360	368	417
	Y											8543	8543	8550	8333	7660	7360	6619
Jaintia Hills	A				25	56	30	20	20	33	30	32	32	32	32	27	8	7
	P				210	497	437	290	40	66	60	64	64	74	106	102	10	14
	Y				8400	8875	14566	14500	2000	2000	2000	2000	2000	2313	3313	1778	1250	2000
**East Garo Hills	A											46	57	62	55	71	103	52
	P											575	658	771	639	677	1117	446
	Y											12500	11544	12435	11618	9535	10845	8577
**West Garo Hills	A				60	115	95	150	150	144	120	80	78	88	86	103	107	108
	P				120	975	230	998	1800	1728	1530	1080	1078	1003	980	991	1060	942
	Y				2000	8478	2421	6653	12000	12000	12750	13500	13821	11398	11395	9621	9907	8722
Meghalaya	A				260	386	350	320	320	317	310	303	312	350	365	401	421	383
	P				2765	3287	3400	3110	3340	3054	3035	3113	3194	3342	3425	3497	3932	3199
	Y				10634	8515	9714	9719	10437	9634	9790	10274	10237	9549	9384	8721	9340	8352

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Pineapple

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A					4051	4105	4159	3928	4206	4210	4220						
	P					24306	24630	24954	28853	30819	32520	31848						
	Y					6000	6000	6000	7345	7327	7724	7547						
*West Khasi Hills	A																	
	P																	
	Y																	
Jaintia Hills	A					472	479	486	448	460	462	467						
	P					2596	2280	2673	3366	3735	4100	4025						
	Y					5500	4760	5500	7513	8119	8874	8619						
**East Garo Hills	A																	
	P																	
	Y																	
**West Garo Hills	A					2077	2116	2155	1688	1917	1923	1933						
	P					10098	10000	10373	13130	15557	16524	15935						
	Y					4862	4726	4813	7778	8115	8593	8244						
Meghalaya	A					6600	6700	6800	6064	6583	6595	6620						
	P					37000	36910	38000	45349	50111	53144	51808						
	Y					5600	5509	5588	7478	7854	8085	7826						

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Citrus fruits

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A					4065	3940	3752	2873	2373	4194	4195	4195	4188	4195	4175	4233	4238
	P					28205	25088	25000	16564	15566	21002	19991	21191	21217	21247	21543	22139	22169
	Y					6938	6367	6663	5765	6560	5008	4765	5051	5066	5065	5160	5230	5231
*West Khasi Hills	A																	
	P																	
	Y																	
Jaintia Hills	A					755	732	696	632	582	890	891	892	890	891	882	900	902
	P					5225	4557	2500	1708	1649	5390	4594	5401	5417	5434	5532	5621	5628
	Y					6920	6225	3592	2702	2833	6056	5156	6058	6086	6099	6272	6245	6239
**East Garo Hills	A																	
	P																	
	Y																	
**West Garo Hills	A					1690	1638	1552	1393	1186	896	896	896	893	896	886	926	929
	P					11580	10355	10500	7638	6708	6564	6003	7990	8006	8034	8270	8489	8500
	Y					6852	6325	676	5483	5656	7326	5107	8917	8965	8966	9334	9167	9150
Meghalaya	A					6510	6310	6000	4898	4141	5980	598	5983	5971	5982	5943	6059	6069
	P					45010	40000	38000	25910	23923	32956	30588	34582	34640	34715	35345	36249	36297
	Y					6914	6339	6333	5290	5777	5511	5113	5780	5801	5803	5947	5983	5981

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,  
Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Temperate fruits

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A					429	454	470	450	470								
	P					2145	2312	2350	2696	2466								
	Y					5000	5092	5000	5991	5247								
*West Khasi Hills	A																	
	P																	
	Y																	
Jaintia Hills	A					91	96	100	94	106								
	P					655	488	500	557	414								
	Y					7198	5083	5000	5925	3906								
**East Garo Hills	A																	
	P																	
	Y																	
**West Garo Hills	A																	
	P																	
	Y																	
Meghalaya	A					520	520	570	544	576								
	P					2800	2800	2850	3253	2880								
	Y					5385	5091	5000	5980	5000								

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Misc. fruits

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A					1355	1230	1230										
	P					9855	9840	9840										
	Y					7273	8000	8000										
*West Khasi Hills	A																	
	P																	
	Y																	
Jaintia Hills	A					249	225	255										
	P					1793	1800	1800										
	Y					7200	8000	8000										
**East Garo Hills	A																	
	P																	
	Y																	
**West Garo Hills	A					1146	1045	1045										
	P					8352	8360	8360										
	Y					7288	8000	8000										
Meghalaya	A					2750	2500	2500										
	P					20000	20000	20000										
	Y					7273	8000	8000										

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978

## Area, Production and Yield of principal crops in Meghalaya

TABLE 1

NAME OF THE CROP: Misc. fruits

A= Area in hectare, P = Production M.T. Y= Yield in kg/hectare

District	Type	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83	1983-84	1984-85	1985-86	1986-87
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
*East Khasi Hills	A																531	534
	P																2567	2561
	Y																4834	4796
*West Khasi Hills	A																67	72
	P																234	167
	Y																3493	2319
Jaintia Hills	A																82	82
	P																362	362
	Y																4415	4415
**East Garo Hills	A																2466	2600
	P																10264	10822
	Y																4162	4162
**West Garo Hills	A																2205	2182
	P																9922	12082
	Y																4500	5537
Meghalaya	A																5351	5470
	P																23349	25994
	Y																4363	4752

\*\*Data includes for East and West Garo Hills district till 1979-80

\* Data includes for East and West Khasi Hills district till 1979-80

Source: State Crop Forecast Report, Meghalaya,

Statistical Abstract -1978