GOVERNMENT OF MEGHALAYA

PLANNING INVESTMENT PROMOTION & SUSTAINABLE DEVELOPMENT DEPARTMENT

No.PLR.33/2022/Pt - 11/315

**
Dated: Shillong, the 21 November, 2024.

To,

The Commissioner & Secretary to the Government of Meghalaya, Power Department.

Subject:

Model Standard Operating Procedure (SOP) for Mapping Data Layers on the State Master Plan (SMP) portal

Sir,

I am directed to refer to the subject above and to inform you that the PM GatiShakti (PMGS) National Master Plan (NMP) plays a critical role in the integration of economic and infrastructural planning with socio-economic development, improving both Ease of Living and Ease of Doing Business. In order to ensure accurate and integrated planning using the NMP, it is essential for the State Departments to define and upload necessary data layers / attributes in a standardized manner along with metadata.

In this connection, a model **Standard Operating Procedure** (SOP) has been developed by DPIIT for the State Master Plan (SMP) portal and the same is enclosed herewith. This SOP includes **data management standards, formats, validation, and update frequencies,** serving as a guideline for states / departments in developing their own SOPs to enhance clarity, collaboration, and efficient data management practices.

Based on the Standard Operating Procedure provided by DPIIT, you are hereby requested to kindly provide Spatial data for "Electric Poles" Mandatory layer in Google Earth (.KML or .KMZ) / AutoCAD Drawing (.CADD) / ESRI GIS Shapefile (.SHP)format and the feature attributes as per Annexure – I in Microsoft Excel file (.XLSX) format on the e-mail address: meghalayaeodb@gmail.com.

Further, keeping the verification of the spatial data and attached attributes in view, a **Maker-Checker-Approver mechanism** needs to be adopted. You are therefore requested to nominate such officers from each PM GatiShakti Cell under your Department:

- Data Maker Equivalent to Field Engineer (~ Upto Superintending Engineer)
- Data Checker Equivalent to Head of the Cell / Branch (~Upto to Chief Engineer)
- Approver Equivalent to Head of the Directorate / Agency (~Director or above)

For any queries, you may contact EoDB PMU Team members Mr. Navay Gulati (contact number-9911995689) / Mr Akshay S. (contact number-8714348044) / Mr. Lakshman R. (contact number-7073351972).

Yours faithfully,

Enclo: As stated above.

[R.D.H. Kharlukhi]

Senior Monitoring Officer & ex-officio
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

Memo No.PLR.33/2022/Pt – II/315-ACopy to:-

Dated: Shillong, the 21 November, 2024.


- 1. The P.S. to the Chief Secretary to the Government of Meghalaya, for kind information of the Chief Secretary.
- 2. The Commissioner & Secretary to the Government of Meghalaya, Planning Investment Promotion & Sustainable Development Department for kind information.
- 3. The Director, Transmission / Distribution / Generation, Me.E.C.L., Lumjingshai, Shillong for kind information and necessary action.

By order etc.,


Senior Monitoring Officer & ex-officio
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

 Meghalaya instance of PM GatiShakti - National Master Plan can be accessed at https://meghalaya.pmgatishakti.gov.in/stategatishakti/login

Login page for National Master Plan and State Master Plan



One-Time Password (OTP) based sign-in for Government officials



PM GatiShakti State Master Plan Interface Gati hakti National Master Plan-Meghalaya O Anisotropy A

Nominated Makers, Checkers and Approvers are requested to submitthe following credentials to the e-mail address meghalayaeodb@gmail.comto obtain a distinct login ID for PM GatiShakti Master Plan:

Satellite Images Provided by ISRO

Technical Collaboration with BISAG-N

Name	as per Government records
Phone	+91 12345 67890 (required for OTP-based login)
e-mail	Official Government e-mail ID only (.gov.in or .nic.in)
Department	Power Department
Designation	Please mention Directorate / cell as applicable
Access Rights	Notified Maker / Notified Checker / Notified Approver

The above information will be utilized to create a distinct login instance from BISAG

2. Sample Format for mapping of "Electric Poles" Mandatory layer and Street Furniture layer (Point geometry) for integration on PM GatiShakti National Master Plan:

Mapping of Layer Geometry: Point (Electric Poles)

Sl. No.	Electric Pole ID	City Name	District Name	State	Туре	Sub-Type	Height [m]	Latitude (Y)	Longitude (X)	Street Furniture Type	Street Furniture Name	Authority Name	Structure of Street Furniture	Street Furniture Class	Street Furniture Sub- Class
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
sample	EKH_ Mylliem_ 0001	Shillong	East Khasi Hills	Meghalaya	Govt.	Meghalaya Power Distribution Corporation Limited	3.500	25°34'00.7" N or 25.5668628 9472471	91°53'25.1"E or 91.89029616 811044	Electric pole	Electric pole	Meghalaya Energy Corporation Limited	Steel	State Govt.	Meghalaya Power Distribution Corporation Limited
1															
2															
3															
*															

Reference for filling the data requirement:

- A. Options for "Type (6)", please mention Jurisdiction:
 - i. Government
 - ii. Undertaking
 - iii. Urban Local Body
 - iv. Others, please specify
- B. Options for "Sub-Type (7)", please mention Authority:
 - i. DISCOM
 - ii. Private
 - iii. Others, please specify
- C. Options for "Latitude (9)"Y-coordinate and "Longitude (10)" X-coordinate, please provide either:
 - i. Accurate reading of coordinates in Degree Minute Seconds (DMS) format.
 - ii. Accurate reading of coordinates in Decimal Degree (DD) format.
- D. For "Structure of Street Furniture (14)", please mention make of electric pole.
- E. For "Street Furniture Class (15)", please mention the name of the Central Ministry / State Government.
- F. For "Street Furniture Sub-class (16)", please mention the Directorate and the Department.
- G. Procedure to manually capture geographic co-ordinates (Latitude and Longitude) is as follows:
 - i. Open an internet browser (Google Chrome/Microsoft Internet Explorer/Microsoft Edge/Mozilla Firefox) and go to Google Maps website- www.maps.google.com/
 - ii. Pan and Zoom to the location. Place the mouse cursor at the location of electric pole and click the right mouse button.
 - iii. As the side menu opens, use the left mouse button to click on the first option denoted with the co-ordinates. These co-ordinates are decimal numbers and will automatically be copied to the system.
 - iv. Use the right mouse button to paste the copied co-ordinates to the soft copy table within respective rows for Latitude and Longitude. Number format and range of coordinates is given below:
 - a) Latitude from: 25.02253375 416164 (25°01'21.12151") to 26.12109622477314 (26°07'15.94641")
 - b) Longitude from: 89.80590801378818 (89°48'21.26885") to 92.80377633093802 (92°48'13.59479")
 - v. While capturing, it is to be ensured that latitude and longitudinal values are accurately mentioned up to 5 decimal places and height of the asset to 2 decimal places.